

LOCATION #6 - 1/6/11 @ 15:57:58 - 1/7/11 @ 16:06:17

Event Report: Monitor Log

Start Time	End Time	Status
-----	-----	SERIAL NUMBER: BE16063
Jan 6 /12 15:57:58		Start Monitoring Trigger Level: Geo: 0.00500 in/s
Jan 6 /12 15:58:06	Jan 6 /12 15:58:11	Event recorded. Trigger Level Long: 0.00500 in/s - MMC INDUCED EVENT (INTENTIONAL)
Jan 6 /12 15:58:11		Start Monitoring Trigger Level: Geo: 0.00500 in/s
Jan 6 /12 16:28:25	Jan 6 /12 16:28:30	Event recorded. Trigger Level Tran: 0.00500 in/s
Jan 6 /12 16:28:30		Start Monitoring Trigger Level: Geo: 0.00500 in/s
Jan 6 /12 16:32:43	Jan 6 /12 16:32:48	Event recorded. Trigger Level Long: 0.00500 in/s
Jan 6 /12 16:32:48		Start Monitoring Trigger Level: Geo: 0.00500 in/s
Jan 6 /12 17:37:52	Jan 6 /12 17:37:58	Event recorded. Trigger Level Tran: 0.00500 in/s
Jan 6 /12 17:37:58		Start Monitoring Trigger Level: Geo: 0.00500 in/s
Jan 6 /12 17:44:27	Jan 6 /12 17:44:32	Event recorded. Trigger Level Tran: 0.00500 in/s
Jan 6 /12 17:44:32		Start Monitoring Trigger Level: Geo: 0.00500 in/s
Jan 6 /12 17:46:03	Jan 6 /12 17:46:08	Event recorded. Trigger Level Long: 0.00500 in/s
Jan 6 /12 17:46:08		Start Monitoring Trigger Level: Geo: 0.00500 in/s
Jan 6 /12 18:58:41	Jan 6 /12 18:58:46	Event recorded. Trigger Level Tran: 0.00500 in/s
Jan 6 /12 18:58:46		Start Monitoring Trigger Level: Geo: 0.00500 in/s
Jan 6 /12 23:56:11	Jan 6 /12 23:56:17	Event recorded. Trigger Level Tran: 0.00500 in/s
Jan 6 /12 23:56:17	Jan 7 /12 08:54:36	No events recorded. (Keyboard Exit) Geo: 0.00500 in/s
Jan 7 /12 08:54:57		Start Monitoring Trigger Level: Geo: 0.00500 in/s
Jan 7 /12 13:03:34	Jan 7 /12 13:03:39	Event recorded. Trigger Level Tran: 0.00500 in/s
Jan 7 /12 13:03:39		Start Monitoring Trigger Level: Geo: 0.00500 in/s
Jan 7 /12 13:04:52	Jan 7 /12 13:04:57	Event recorded. Trigger Level Long: 0.00500 in/s
Jan 7 /12 13:04:57	Jan 7 /12 16:06:17	No events recorded. (Keyboard Exit) Geo: 0.00500 in/s

TVIC 3254, STAGE I
11:45:35 - 13:35:57

TVIC 221, STAGE I
13:50:26 - 15:13:10
NO EVENTS

PXP TVIC 221 & TVIC 3254
Location #6
1/6/11 @ 15:57:58 - 1/7/11 @16:06:17

Event Report: Event List - p:\petroleum\plains exploration & production (pxp)\tvic 221 & tvic 3254\data\tvic6ab

Type	Serial No.	Date/Time	No. Chan	Trigger	Tran Peak (in/s)	Vert Peak (in/s)	Long Peak (in/s)	Mic Peak (dB)	PVS1 (in/s)	Description
LOG	BE16063	Jan 6/12 15:57:58	***	***	***	***	***	***	***	Start Monitoring
W	BE16063	Jan 6/12 15:58:06	3	Long	0.172	0.0644	0.174	***	0.239	PXP- MMC INDUCED EVENT (INTENTIONAL)
W	BE16063	Jan 6/12 16:28:25	3	Tran	0.00500	0.00375	0.00687	***	0.00765	PXP
W	BE16063	Jan 6/12 16:32:43	3	Long	0.00687	0.00312	0.00562	***	0.00755	PXP
W	BE16063	Jan 6/12 17:37:52	3	Tran	0.00500	0.00187	0.00250	***	0.00504	PXP
W	BE16063	Jan 6/12 17:44:27	3	Tran	0.00750	0.00500	0.00625	***	0.00877	PXP
W	BE16063	Jan 6/12 17:46:03	3	Long	0.00562	0.00375	0.00500	***	0.00628	PXP
W	BE16063	Jan 6/12 18:58:41	3	Tran	0.00500	0.00250	0.00375	***	0.00508	PXP
W	BE16063	Jan 6/12 23:56:11	3	Tran	0.00500	0.00250	0.00312	***	0.00508	PXP
LOG	BE16063	Jan 7/12 08:54:36	***	***	***	***	***	***	***	Keyboard Stop
LOG	BE16063	Jan 7/12 08:54:57	***	***	***	***	***	***	***	Start Monitoring
W	BE16063	Jan 7/12 13:03:34	3	Tran	0.00687	0.00437	0.00812	***	0.00931	PXP
W	BE16063	Jan 7/12 13:04:52	3	Long	0.00562	0.00375	0.00625	***	0.00664	PXP
LOG	BE16063	Jan 7/12 16:06:17	***	***	***	***	***	***	***	Keyboard Stop

TVIC 3254, STAGE 1
 11:45:35 - 13:35:57

TVIC 221, STAGE 1
 13:50:26 - 15:13:10
 NO EVENTS



Date/Time Long at 15:58:06 January 6, 2012
Trigger Source Geo: 0.00500 in/s
Range Geo: 1.25 in/s
Record Time 5.0 sec at 1024 sps

Serial Number BE16063 V 8.12-8.0 MiniMate Plus
Battery Level 6.5 Volts
Unit Calibration April 29, 2011 by Instantel
File Name R063E3JL.OU0

Notes
 Client: PXP
 Project: TVIC 221 & TVIC 3254
 Location: Inglewood Field - Los Angeles, CA
 User: MMC, Inc. - Mark Burgus

Extended Notes:

	Tran	Vert	Long	
PPV	0.172	0.0644	0.174	in/s
ZC Freq	64	57	51	Hz
Time (Rel. to Trig)	0.016	0.013	0.017	sec
Peak Acceleration	0.164	0.0580	0.141	g
Peak Displacement	0.00041	0.00044	0.00051	in
Sensor Check	Passed	Passed	Passed	
Frequency	7.7	7.5	7.5	Hz
Overswing Ratio	3.6	3.5	3.8	



Time Scale: 0.20 sec/div **Amplitude Scale:** Geo: 0.0500 in/s/div
 Trigger =

Sensor Check

Date/Time *Tran at 16:28:25 January 6, 2012*
 Trigger Source *Geo: 0.00500 in/s*
 Range *Geo: 1.25 in/s*
 Record Time *5.0 sec at 1024 sps*



Serial Number *BE16063 V 8.12-8.0 MiniMate Plus*
 Battery Level *6.5 Volts*
 Unit Calibration *April 29, 2011 by InstanTel*
 File Name *R063E3JN.3D0*

Notes

Client: *PXP*
 Project: *TVIC 221 & TVIC 3254*
 Location: *Inglewood Field - Los Angeles, CA*
 User: *MMC, Inc. - Mark Burgus*

Extended Notes:

	Tran	Vert	Long	
PPV	0.00500	0.00375	0.00687	in/s
ZC Freq	39	47	32	Hz
Time (Rel. to Trig)	0.000	1.225	1.371	sec
Peak Acceleration	0.00663	0.00663	0.00829	g
Peak Displacement	0.00003	0.00003	0.00004	in
Sensor Check	Passed	Passed	Passed	
Frequency	7.7	7.5	7.5	Hz
Overswing Ratio	3.6	3.5	3.8	



Time Scale: *0.20 sec/div* Amplitude Scale: *Geo: 0.01000 in/s/div*
 Trigger =

Sensor Check

Date/Time Long at 16:32:43 January 6, 2012
Trigger Source Geo: 0.00500 in/s
Range Geo: 1.25 in/s
Record Time 5.0 sec at 1024 sps



Serial Number BE16063 V 8.12-8.0 MiniMate Plus
Battery Level 6.5 Volts
Unit Calibration April 29, 2011 by InstanTel
File Name R063E3JN.AJ0

Notes

Client: PXP
Project: TVIC 221 & TVIC 3254
Location: Inglewood Field - Los Angeles, CA
User: MMC, Inc. - Mark Burgus

Extended Notes:

	Tran	Vert	Long	
PPV	0.00687	0.00312	0.00562	in/s
ZC Freq	43	37	30	Hz
Time (Rel. to Trig)	2.544	0.462	0.000	sec
Peak Acceleration	0.00663	0.00663	0.00663	g
Peak Displacement	0.00003	0.00002	0.00003	in
Sensor Check	Passed	Passed	Passed	
Frequency	7.7	7.5	7.5	Hz
Overswing Ratio	3.6	3.5	3.8	



Time Scale: 0.20 sec/div **Amplitude Scale:** Geo: 0.01000 in/s/div
Trigger =

Sensor Check

Date/Time *Tran at 17:37:52 January 6, 2012*
 Trigger Source *Geo: 0.00500 in/s*
 Range *Geo: 1.25 in/s*
 Record Time *5.0 sec at 1024 sps*



Serial Number *BE16063 V 8.12-8.0 MiniMate Plus*
 Battery Level *6.5 Volts*
 Unit Calibration *April 29, 2011 by InstanTel*
 File Name *R063E3JQ.B40*

Notes

Client: *PXP*
 Project: *TVIC 221 & TVIC 3254*
 Location: *Inglewood Field - Los Angeles, CA*
 User: *MMC, Inc. - Mark Burgus*

Extended Notes:

	Tran	Vert	Long	
PPV	0.00500	0.00187	0.00250	in/s
ZC Freq	26	>100	47	Hz
Time (Rel. to Trig)	0.000	-0.249	-0.019	sec
Peak Acceleration	0.00497	0.00663	0.00497	g
Peak Displacement	0.00003	0.00001	0.00001	in
Sensor Check	Passed	Passed	Passed	
Frequency	7.7	7.5	7.5	Hz
Overswing Ratio	3.6	3.5	3.8	



Time Scale: 0.20 sec/div Amplitude Scale: Geo: 0.01000 in/s/div
 Trigger =

Sensor Check

Date/Time *Tran at 17:44:27 January 6, 2012*
 Trigger Source *Geo: 0.00500 in/s*
 Range *Geo: 1.25 in/s*
 Record Time *5.0 sec at 1024 sps*

Serial Number *BE16063 V 8.12-8.0 MiniMate Plus*
 Battery Level *6.5 Volts*
 Unit Calibration *April 29, 2011 by InstanTel*
 File Name *R063E3JQ.M30*



Notes

Client: *PXP*
 Project: *TVIC 221 & TVIC 3254*
 Location: *Inglewood Field - Los Angeles, CA*
 User: *MMC, Inc. - Mark Burgus*

Extended Notes:

	Tran	Vert	Long	
PPV	0.00750	0.00500	0.00625	in/s
ZC Freq	26	18	30	Hz
Time (Rel. to Trig)	0.320	0.638	1.282	sec
Peak Acceleration	0.00994	0.00663	0.00829	g
Peak Displacement	0.00004	0.00004	0.00004	in
Sensor Check	Passed	Passed	Passed	
Frequency	7.7	7.5	7.5	Hz
Overswing Ratio	3.6	3.5	3.8	

USBM RI8507 And OSMRE



Time Scale: *0.20 sec/div* Amplitude Scale: *Geo: 0.01000 in/s/div*
 Trigger =

Sensor Check

Date/Time Long at 17:46:03 January 6, 2012
Trigger Source Geo: 0.00500 in/s
Range Geo: 1.25 in/s
Record Time 5.0 sec at 1024 sps


Serial Number BE16063 V 8.12-8.0 MiniMate Plus
Battery Level 6.5 Volts
Unit Calibration April 29, 2011 by InstanTel
File Name R063E3JQ.0R0

Notes

Client: PXP
Project: TVIC 221 & TVIC 3254
Location: Inglewood Field - Los Angeles, CA
User: MMC, Inc. - Mark Burgus

Extended Notes:

	Tran	Vert	Long	
PPV	0.00562	0.00375	0.00500	in/s
ZC Freq	21	26	32	Hz
Time (Rel. to Trig)	1.649	-0.007	0.000	sec
Peak Acceleration	0.00663	0.00829	0.00663	g
Peak Displacement	0.00004	0.00004	0.00002	in
Sensor Check	Passed	Passed	Passed	
Frequency	7.7	7.5	7.5	Hz
Overswing Ratio	3.6	3.5	3.8	



Time Scale: 0.20 sec/div **Amplitude Scale:** Geo: 0.01000 in/s/div
Trigger = ▶ ◀

Sensor Check

Date/Time *Tran at 18:58:41 January 6, 2012*
 Trigger Source *Geo: 0.00500 in/s*
 Range *Geo: 1.25 in/s*
 Record Time *5.0 sec at 1024 sps*



Serial Number *BE16063 V 8.12-8.0 MiniMate Plus*
 Battery Level *6.5 Volts*
 Unit Calibration *April 29, 2011 by Instantel*
 File Name *R063E3JU.1T0*

Notes

Client: *PXP*
 Project: *TVIC 221 & TVIC 3254*
 Location: *Inglewood Field - Los Angeles, CA*
 User: *MMC, Inc. - Mark Burgus*

Extended Notes:

	Tran	Vert	Long	
PPV	0.00500	0.00250	0.00375	in/s
ZC Freq	26	64	32	Hz
Time (Rel. to Trig)	0.000	-0.221	-0.105	sec
Peak Acceleration	0.00663	0.00663	0.00663	g
Peak Displacement	0.00003	0.00002	0.00001	in
Sensor Check	Passed	Passed	Passed	
Frequency	7.7	7.5	7.5	Hz
Overswing Ratio	3.6	3.5	3.8	



Time Scale: 0.20 sec/div Amplitude Scale: Geo: 0.01000 in/s/div
 Trigger =

Sensor Check

Date/Time Tran at 23:56:11 January 6, 2012
Trigger Source Geo: 0.00500 in/s
Range Geo: 1.25 in/s
Record Time 5.0 sec at 1024 sps



Serial Number BE16063 V 8.12-8.0 MiniMate Plus
Battery Level 6.4 Volts
Unit Calibration April 29, 2011 by InstanTel
File Name R063E3K7.TNO

Notes

Client: PXP
Project: TVIC 221 & TVIC 3254
Location: Inglewood Field - Los Angeles, CA
User: MMC, Inc. - Mark Burgus

Extended Notes:

	Tran	Vert	Long	
PPV	0.00500	0.00250	0.00312	in/s
ZC Freq	27	73	73	Hz
Time (Rel. to Trig)	0.000	3.341	3.520	sec
Peak Acceleration	0.00497	0.00497	0.00829	g
Peak Displacement	0.00002	0.00001	0.00001	in
Sensor Check	Passed	Passed	Passed	
Frequency	7.7	7.5	7.5	Hz
Overswing Ratio	3.6	3.5	3.8	



Time Scale: 0.20 sec/div **Amplitude Scale:** Geo: 0.01000 in/s/div
Trigger =

Sensor Check

Date/Time *Tran at 13:03:34 January 7, 2012*
 Trigger Source *Geo: 0.00500 in/s*
 Range *Geo: 1.25 in/s*
 Record Time *5.0 sec at 1024 sps*

Serial Number *BE16063 V 8.12-8.0 MiniMate Plus*
 Battery Level *6.3 Volts*
 Unit Calibration *April 29, 2011 by Instantel*
 File Name *R063E3L8.9Y0*



Notes

Client: *PXP*
 Project: *TVIC 221 & TVIC 3254*
 Location: *Inglewood Field - Los Angeles, CA*
 User: *MMC, Inc. - Mark Burgus*

Extended Notes:

	Tran	Vert	Long	
PPV	0.00687	0.00437	0.00812	in/s
ZC Freq	21	15	37	Hz
Time (Rel. to Trig)	0.855	0.826	2.007	sec
Peak Acceleration	0.00829	0.00497	0.00829	g
Peak Displacement	0.00005	0.00005	0.00005	in
Sensor Check	Passed	Passed	Passed	
Frequency	7.7	7.5	7.5	Hz
Overswing Ratio	3.8	3.6	4.0	

USBM RI8507 And OSMRE



Time Scale: 0.20 sec/div Amplitude Scale: Geo: 0.01000 in/s/div
 Trigger =

Sensor Check

Date/Time Long at 13:04:52 January 7, 2012
 Trigger Source Geo: 0.00500 in/s
 Range Geo: 1.25 in/s
 Record Time 5.0 sec at 1024 sps



Serial Number BE16063 V 8.12-8.0 MiniMate Plus
 Battery Level 6.3 Volts
 Unit Calibration April 29, 2011 by InstanTel
 File Name R063E3L8.C40

Notes

Client: PXP
 Project: TVIC 221 & TVIC 3254
 Location: Inglewood Field - Los Angeles, CA
 User: MMC, Inc. - Mark Burgus

Extended Notes:

	Tran	Vert	Long	
PPV	0.00562	0.00375	0.00625	in/s
ZC Freq	21	34	47	Hz
Time (Rel. to Trig)	1.472	0.330	0.211	sec
Peak Acceleration	0.00663	0.00497	0.00663	g
Peak Displacement	0.00004	0.00003	0.00003	in
Sensor Check	Passed	Passed	Passed	
Frequency	7.7	7.5	7.5	Hz
Overswing Ratio	3.8	3.6	4.0	



Time Scale: 0.20 sec/div Amplitude Scale: Geo: 0.01000 in/s/div
 Trigger =

Sensor Check